GOVERNMENT OF ANDHRA PRADESH

ABSTRACT

Public Services – R&B Department – Departmental proceedings initiated against Sri P.Srimannarayana, the then SE(R&B) and 3 others for deviating the tender, conditions while concluding the agreement in the work of "Cyclone Damage Repairs to Muppala- Eturu Road in R&B Divn., Vijayawada- Punishment of stoppage of (1) one increment, without cumulative effect, imposed - Orders - Issued.

TRANSPORT, ROADS AND BUILDINGS (VIG) DEPARTMENT

G.O.RT.No. 190 **Dated: 28-06-2017**

Read the following:

1. From D.G GA(V&E) Deptt Appraisal report No.47, Dt. 26.05.2012
2. From ENC(R&B) Admn., Memo.No.994/VC(1)/2012-1,2,3,4,dt. 18.10.2012
3. From E-in-C(R&B) Admn.,Lr.No.994/VC(1)/2012, dt. 19.10.2015.

&&&

ORDER:

Charges were issued, vide reference second read above, against (1) Sri P. Srimannarayana, the then Superintending Engineer(R&B) Circle, Vijayawada, (2) Sri K.V.Raghavendra Rao, the then Deputy Superintending Engineer (R&B) Circle, Vijayawada, (3) Smt. T.Jyothi, Technical Officer, R&B Circle, Vijayawada and (4) Smt. T. Sunitha, Assistant Technical Officer, (R&B) Circle Vijayawada for deviating the tender, conditions while concluding the agreement in the work of "Cyclone Damage Repairs to Muppala- Eturu Road from Km.0.000 to Km 14.520" in R&B Divn., Vijayawada.

2 The above said Charged Officers submitted their Written Statements of Defence ,vide reference third read above and requested for dropping further action against them. The Engineer-in-Chief(R&B) Admn vide reference third read above has submitted the report.

3 Government after examination of the matter it is observed that the Charged Officers are flouted the tender rules while executing the CDR works in Krishna Dist. Hence, it is decided to impose a minor penalty of withholding one (1) increment without cumulative effect under Rule 9 (iv) of APCS (CC&A) Rules, 1991 against all the said (4) Charged Officers.

4 Accordingly, Government hereby impose the punishment of withholding of one (1) increment without cumulative effect against (1) Sri P. Srimannarayana, the then Superintending Engineer(R&B) Circle, Vijayawada, (2) Sri K.V.Raghavendra Rao, the then Deputy Superintending Engineer (R&B) Circle, Vijayawada, (3) Smt. T.Jyothi, Technical Officer, R&B Circle, Vijayawada and (4) Smt. T. Sunitha, Asst. Technical Officer, (R&B) Circle Vijayawada

5. The Engineer-in-Chief (R&B) Administration, shall take necessary further action in the matter accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

SUMITA DAWRA
PRINCIPAL SECRETARY TO GOVERNMENT

To
The Individuals through the ENC(R&B), Admn. **A** block, Anjaneya Towers, Ibrahimpatnam, Vijayawada
The Engineer-in-Chief(R&B) Administration A' block Anjaneya Towers, Ibrahimpatnam, Vijayawada.

Copy to:
The Secretary, Andhra Pradesh Vigilance Commission, A.P. Secretariat, Velagapudi.
The Director General ,General Administrative (V&E) Department
SF/SC.

//FORWARDED :: BY ORDER//

SECTION OFFICER